

IZERWAREN



Izerwaren Inc. Catalog for Yacht and Ships Hardware



ONE TIME Edition 26

Non Corrosive Fine Building and Ships Hardware
IZERWAREN.COM
IZERWAREN.BIZ




EUROPE TYPE HANDING

Standard European (DIN) Handing for Mortise Locks and Swinging Doors:

The DIN Standard (Deutsche Industrie Norm) applies to most Mega Yachts Door Schedules.

OUTSIDE




INSIDE

DIN LEFT HAND


DIN RIGHT HAND

STANDARD UNITED STATES Handing schedule:




Handing Door Schedules for:

Residential European (DIN) and Residential American (US) Swinging Door
the following schedule applies, showing DIN Standard and US Standard:





Standard US Hinges Handing



Handing For Standard US Butt Hinges and Lift Off Hinges (Slip Joint Hinges)




Handicapped Code Full Away Swinging Hinges and Butt Hinge Installation

Hinge Swaging




Hinge not swaged — figure 1



Hinge not swaged — figure 2



Hinge swaged (standard)
— figure 3



Hinge swaged (standard)
— figure 4






*Hinge with one leaf swaged
— figure 5




*Hinge with one leaf swaged flat
— figure 6



Order: key-key / key-knob / half cylinder		Finish	Materials: Chrome plated brass and stainless steel parts
 Picture Profile Cylinder key/key Picture Profile Cylinder key/key series #05.400.266 62 MM OVERAL LENGTH UP TO 182 MM OVERAL LENGTH WITH INCREMENTS OF 5 MM ALSO AVAILABLE IN ACYMETRIC SET UP			
05.488.266	key/key A-B	Polished chrome	A= 26.5 mm B= 26.5 mm key-key; polished chrome
05.400.266	key/key A-B	Polished chrome	A= 30 mm B= 30 mm key-key; polished chrome
05.433.266	key/key A-B	Polished chrome	A= 35 mm B= 35 mm key-key; polished chrome
05.404040	key/key A-B	Polished chrome	A= 40 mm B= 40 mm key-key; polished chrome
05.404545	key/key A-B	Polished chrome	A= 45 mm B= 45 mm key-key; polished chrome
05.405050	key/key A-B	Polished chrome	A= 50 mm B= 50 mm key-key; polished chrome
05.40--/--	key/key A-B	Polished chrome	ASYMETRIC SIZES KEY-KEY SET ARE AVAILABLE FROM STOCK
 Picture: Profile Cylinder key/knob Series #05.502 62 MM OVERAL LENGTH UP TO 182 MM OVERAL LENGTH NOT COUNTING THE KNOB ON LINE ORDERS ARE SHIPPED WITH KNOB : #05.502		 Key blanks #05.150 silver nickel	 CUSTOM SIZES SPECIAL ORDER; UP TO 90 X 90 MM - CAN BE SPECIFIED ALSO AACYMMETRIC AVAILABLE with 5 mm increments
05.407.566	key/knob	Polished chrome	A= 26.5 mm B= 26.5 mm key-knob; polished chrome
05.405.266	key/knob	Polished chrome	A= 30 mm B= 30 mm key-knob; polished chrome
05.43535	key/knob	Polished chrome	A= 35 mm B= 35 mm key-knob; polished chrome
05.44040	key/knob	Polished chrome	A= 40 mm B= 40 mm key-knob; polished chrome
05.4545	key/knob	Polished chrome	A= 45 mm B= 45 mm key-knob; polished chrome
05.5050	key/knob	Polished chrome	A= 50 mm B= 50 mm key-knob; polished chrome
05.6060	key/knob	Polished chrome	A= 60 mm B= 60 mm key-knob; polished chrome
05.--/--	key/knob	Polished chrome	ASYMETRIC SIZES KEY-KNOB SET ARE AVAILABLE FROM STOCK
 Half keyway #05.415 key/-  Half knob #05.416 knob/- Knob showing #05.WIL 32 x 35 mm special order			
05.415.266	Key/ - 30 - 0	Polished chrome	A= 30 mm B= 0 mm key---; polished chrome
05.417.266	Key/ - 35 - 0	Polished chrome	A= 35 mm B= 0 mm key---; polished chrome
05.416.266	Knob/ - 30 - 0	Polished chrome	A= 30 mm B= 0 mm key---; polished chrome
05.418.266	Knob/ - 35 - 0	Polished chrome	A= 35 mm B= 0 mm key---; polished chrome




#05.502



#05.502




#05.602



#05.602



#05.762



#05.762



#05.WIL



#05.008



#09.P07



#13.J454



#09.P05









#13.J453

**OUR MARINE GRADE PROFILE CYLINDERS ARE AVAILABLE IN CUSTOM SYMETRIC
AND ASYMETRIC SIZES & FINISHES WITH THE KNOBS LISTED ABOVE**

AT sales@izerware.com



 Profile cylinder, 60 mm, privacy (slotted bolt/knob) Profile cylinder, 60 mm, privacy (slotted bolt/key)		 A= 30 mm slotted bolt B= 30 mm key A= 30 mm slotted bolt B= 30 mm knob	
05.489	Slotted bolt/key		
05.487	Slotted bolt/knob		
 Escutcheon pair: #14.129.508 with 1 cylinder cover #05.599		 #05.599 #05.599I Profile cylinder covers, spring loaded.	
 #05.599 Profile cylinder cover, spring loaded. 12 mm		 #05.599I Profile cylinder cover, spring loaded. 17 mm	
05.599.608	PC cover 3 mm	Stainless steel	Overall sizes: 29 x 58 x 12 mm
05.599I.606	PC cover 8 mm	Stainless steel	Overall sizes: 29 x 58 x 17 mm
 Round Cylinders for small locks and cabinet locks		 #05.590 Round key nickel	 Cabinet rim lock #21.73Z; 25 mm backset with keyway #05.522
05.522	round cylinder 22 mm	Brass/chrome	#21.73Z Cabinet rim lock with round cylinder
05.525	round cylinder 25 mm	Brass/chrome	see catalog page 2-1
05.530	round cylinder 30 mm	Brass/chrome	See on line:
05.535	round cylinder 35 mm	Brass/chrome	Izerwaren.com: Door hardware / Cabinet door hardware / Details marine slam latches / page 2-1.



Izerwaren
Order numbers

Stainless Steel Marine Locks Sets - 55 mm backset


Meets all DIN fire class requirements

Page 1-1

- Stainless Steel Heavy duty Mortise locks;
- Backset 55 mm
- Standard finish: Brushed stainless steel
- Option: Mirror Polished Stainless Steel Finish

11.SEET01 **Set:** Exterior lock with satin stainless levers and escutcheons
11.BEET01 **Set:** Exterior lock with satin chrome levers and escutcheons


11.312 Exterior Lock separate (Trioiving 5312)
With key outside and thumb-turn inside
Heavy Duty; one piece latch-bolt,
for 8 x 8 mm square spindle



Exterior Entry lock Set: #11.SEET01 - Stainless Steel Levers and Escutcheons
Exterior Entry lock Set: #11.BEET01 - Chrome Levers and Escutcheons

11.BRET01 **Set:** Interior lock with satin chrome levers and escutcheons.
11.BRET02 **Set:** Interior lock with polished chrome levers and roses.

11.316 Interior Lock separate (Trioiving 5316)
11.317 Interior Lock separate (Trioiving Privacy 5317)
With key outside and thumb-turn inside
Medium duty; three piece latch-bolt,
for 8 x 8 mm square spindle




Interior lock Set: #11.BRET01 - Chrome Levers and Escutcheons
Interior lock Set: #11.BEET02 - Chrome Levers and Roses

11.BPRT01 **Set:** Interior passage lock with satin chrome levers and roses
11.BPET01 **Set:** Interior passage lock with satin chrome levers, escutcheons.

11.336 Interior passage latch separate (Trioiving 5336)
Medium duty. Not depicted details: see page I-0-B

11.SDRT01 **Set:** Deadbolt lock with chrome levers and roses
11.SDET01 **Set:** Deadbolt lock with chrome levers, escutcheons

11.341 Deadbolt lock separate (Trioiving 5341)
Deadbolt lock not depicted. Details: see page I-0-C



Exterior Sliding lock Set: #11.SPOCT07 - Stainless Steel Levers and Escutcheons
Exterior Sliding lock Set: #11.BPOCT07 - Chrome Levers and Escutcheons
Exterior Sliding lock Set: #11.BPORT07 - Chrome Levers and Roses

11.SSET01 **Set:** Exterior sliding lock with stainless levers, escutcheons

11.BSET01 **Set:** Exterior sliding lock with chrome levers, escutcheons

11.BSRT01 **Set:** Exterior sliding lock with chrome levers and roses

11.382 Sliding Lock separate (Trioiving 5382)
Heavy Duty, Double hook bolt, for exterior and
interior doors. For 8 x 8 mm square spindle




11.5312 Extra wide strike plate for entry locks
110 x 55 mm

11.384 Strike Box for sliding door lock, stainless steel
Size: 157 X 32 x 21 mm


11.314 Strike Box for swinging door lock, stainless steel
Size: 135 x 22 + 9 mm

11.520 Oval Cylinder (half) with key. Body: 32 mm
11.544 Oval Cylinder (half) with knob. Body: 32 mm

11.508 Keys, nickel silver; special keying available
11.555 Extensions for cylinder or thumb-turn 15 mm, brass




#11.384 Strike Box Sliding #11.314 Strike Box Swinging
#11.314; Strike Box Swinging door locks 22/31 x 135 mm
#11.5312; Strike plate for sliding or swinging doors; 110 x 55 mm



Keyed Oval Cylinder #11.520




Thumb-turn #11.544




Extensions #11.555


FOR DETAILS TRIOIVING TRIM SETS SEE PAGE I-1-0




ENTRY SETS HEAVY DUTY WITH DRAWINGS



#11.SEET01. Complete Entry Lock Set Heavy Duty with stainless steel trim with escutcheon plates. Specify door thickness when ordering.



#11.BEET01. Complete Entry Set Heavy Duty with chrome trim with escutcheon plates.





#11.BERT01. Complete Entry Set Heavy Duty with chrome trim with round roses.

- All sets include: 1 keyway  with 2 keys and 1 thumb-turn  (optional: 2 keyways; no thumb-turn)
- Specify door thickness when ordering.
- Specify satin or polished.
- Specify left or right (see page 0-2 for handing)


UPGRADE TO SUPER YACHT TRIM: SEE PART #11.SEFT.011




ENTRY MORTISE LOCK DOOR





Entry Heavy Duty Mortise lock #11.312.308 with solid latch bolt.
Mirror Polished Stainless Steel





Strike Plate #11.314.308 sold separately. Mirror Polished Stainless Steel



EXTERIOR SETS WITH DIMENSIONS



- #11.BEET02 . Complete Entry / Set for exterior doors with polished chrome trim with escutcheons and spacer plate
 #11.BERT01. Complete Entry Set for exterior doors with satin chrome trim and roses.
 #11.BERT02. Complete Entry Set for exterior doors with chrome trim and escutcheon plates.




- All sets include: 1 keyway with 2 keys and 1 thumb-turn (Optional: 2 keyways, no thumb-turn)
- Specify door thickness when ordering.
- Specify satin or polished
- Specify left or right

UPGRADE TO MEGA YACHT TRIM: #11.SEFT.011.




EXTERIOR LOCK SETS WITH DIMENSIONS IN MM



#11.SSET01. Complete Entry Sliding Door Set for Interior doors with satin stainless steel trim and escutcheons.

#11.BSET02. Complete Entry Sliding Door Set for Interior doors with polished chrome trim and escutcheons.


#11.BSRT01. Complete Entry Sliding Door Set for Interior doors with satin chrome trim and roses.



Lever #11.363

Rose 11.509 Keyway rose

#11.962 Escutcheon 11.605



#11.5201

#11.5441

Sets include: 1 keyway with 2 keys and 1 thumb-turn (Optional: 2 keyways, no thumb-turn)

Specify door thickness when ordering.

Specify satin or polished

Specify left or right (see page 0-2 for handing)

UPGRADE TO YACHT TRIM: #11.SEFT.037



IZERWAREN
Order
numbers

- Trioving Standard Trim for Mortise Locks
- For Trioving locks see page 1-1
- For UPGRADE to YACHT trim see page 1-2

11.5967 **Cylinder coat; black plastic, 10 mm.**
11.5968 **Cylinder coat; black plastic, 6 mm.**
Use with escutcheon plates only.

Chrome roses for key way Diameter 54 mm:
11.962 6 mm thick outer rose with bushings
11.9622 9 mm thick outer rose with bushings
11.9623 12 mm thick outer rose with bushings
11.9624 15 mm thick outer rose with bushings
11.9625 18 mm thick outer rose with bushings

11.972 6 mm thick inner rose with screw holes
11.9722 9 mm thick inner rose with screw holes
11.9723 12 mm thick inner rose with screw holes
11.9724 15 mm thick inner rose with screw holes
11.9725 18 mm thick inner rose with screw holes

11.520 **Oval Cylinder** (half) with key. Body: 32 mm
11.555 **Extensions** for cylinder or thumb-turn 15 mm, brass

11.544 **Oval Cylinder** (half) with knob. Body:-32 mm

11.555 **Extensions** for cylinder or thumb-turn 15 mm,

11.5551 **Extensions** for cylinder or thumb-turn 30 mm,


11.5552 **Extensions** for cylinder or thumb-turn 40 mm,

11.5553 **Extensions** for cylinder or thumb-turn 45 mm,


11.5554 **Extensions** for cylinder or thumb-turn 80 mm,

11.5555 **Extensions** for cylinder or thumb-turn 125 mm,


11.508 **Key blanks, each, Silver nickel**
for Trioving keyway #11.520,



Cylinder coat 11.5967 10 mm thick. 33.2 mm wide. pair
Cylinder coat 11.5968 6 mm thick. 33.2 mm wide. pair
Use with escutcheon plates only.




Key way rose outside, and inside. Order separate. 54 mm diameter.
Specify and order inside and outside thickness of key rose separate.



Oval Cylinder key way #11.520 -32 mm

Extensions 15 mm #11.555



Keyed Thumb-turn #11.544 -32 mm

Extensions 15 mm #11.555



IZERWAREN



Izerwaren Upgrade for Marine Locks and Trim Sets For Swinging and Sliding Doors For Weather Doors and Interior Doors



Edition 25

Non Corrosive Fine Building and Ships Hardware
IZERWAREN.COM



Stainless steel Levers in combination with roses for full size mortise marine locks

Finish: satin or mirror polished stainless steel

WHEN ORDERING OUR MARINE LEVER SETS TOGETHER OR SEPARATE.

4 - FOUR - OPTIONS TO CHOOSE FROM:

1

When ordering Marine Levers with NON spring loaded roses, the set is shipped with a 9 mm and 8 mm spindle and bushing.



Part no. 12.110F for ordering rose separately



2

When Ordering our Marine Levers with Spring Loaded Roses, use part no. 12.110N for the rose



If ordering levers together w. roses, an 8 x 8 mm spindle will be provided + bushing to 9 x 9 mm.



3

WHEN ORDERING OUR MARINE LEVERS SEPARATELY, WE WILL SHIP AS FOLLOWS: LEVER WITH 18 MM DIAM. COLLAR, WHICH ALLOWS FOR A 9 X 9 SPINDLE. WE SHIP THE LEVER WITH A REDUCTION BUSHING TO 8X8 MM SQUARE STOCK. PLEASE ORDER SQUARE STOCK SEPARATELY ACCORDING TO DOOR THICKNESS AND LOCK TYPE.



4

ORDER FIRE RATED SET OF LEVERS WITH ROSES NO. 12.110S. WE WILL SUPPLY THE SET WITH 9 X 9 MM SPINDLE ONLY SPECIFY DOOR THICKNESS WHEN ORDERING.






Stainless steel levers for full size mortise marine locks Finish: satin or mirror polished stainless steel


Izerwaren
Order
Numbers

12.527.308 Lever Classic; 135 mm long
Polished stainless steel




Lever Classic # 12.527; 135 mm long; stands off 58 mm
Rose #12.110; 55 mm diameter

12.045.308 Lever U shape; 131 mm long
Polished stainless steel




Lever #12.045; 142 mm long; stands off 64 mm; 20 mm diameter

12.547.308 Lever L shape; 132 mm long
Round corner
Polished stainless steel




Lever #12.547; 132 mm long; stands off 64 mm; 20 mm diameter

12.576.308 Lever L shape; 132 mm long
Square corner




Lever #12.576; 137 mm long; stands off 57 mm; 20 mm diameter

11.363.308 Lever cropped 108 x 49 mm
Polished chrome plated brass




Lever #11.3631; 108 mm long; stands off 49 mm; 20 mm diameter on base

12.53F.308 Lever Semi Flush; 143 mm long
Polished stainless steel




Lever #12.53F; 143 mm long; stands off 25 mm with standard plate; 20 mm wide

12.555.308 Lever Semi Flush; 120 mm long
Polished stainless steel



Lever #12.555; 120 mm long; stands off 25 mm; 20 mm wide; Rounded front

12.5SF Lever Semi Flush; 95 mm long
Polished stainless steel




Lever #12.5SF; 95 mm long; stands off 25 mm with standard plate; 20 mm wide
Use Lever Handles with Roses or Escutcheon Plates; See page 1-2 for details

12.329.308 Thumb-turn 30 x 10 mm
On rose #12.1005 flat
Polished stainless steel




Stainless steel Roses for full size mortise marine locks
Finish: satin or mirror polished stainless steel with Roses and Escutcheons

→ | $2\frac{3}{16}"$ (55) | ←




↓ $1\frac{5}{32}"$
(29) ↑



↓ $\frac{9}{32}"$ (7) ↑

#12.329.508 thumb-turn / indicator with 55 mm roses. Polished stainless steel available with 8x8 mm spindle or 7x7 mm spindle



← 55 →




#12.110F.308 Universal rose with inner plastic rose 55 mm diameter.
 Roses accept all levers and knobs with an 18 mm diameter collar.



→ | | ← $\frac{9}{32}"$ (7) | ← 55 → |



#12.110N.308 Spring loaded rose 55 mm diameter for use with matching levers and 8x8 mm spindle



Exploded view of sample of assembly spring loaded roses #12.11N.308 with matching levers with 8x8 mm stainless steel spindle.
 Depicted here with lever #12.045




Stainless steel roses for full size mortise marine locks Finish: satin or mirror polished stainless steel



Rose #12.1105 Fire rated rose 55 mm diameter. With stainless steel inner rose and collar.
For use with 9x9 mm stainless steel spindle and stainless steel lever. Shown here with lever #12.045




Rose #12.42313.308 Rose 55 mm diameter for use with creating dummy sets, fitting only our matching levers or knobs.



Dummy Set#12.42311 Rose tubular dummy plate with face plate (not shown) use with any lever with 18 mm diameter collar

Drill hole 18 mm diameter for 8 x 8 mm spindle

All our levers can be ordered with 19 mm collar or suitable for spring loaded roses for use with 9x9 mm or 8x8 mm spindle



#12.1703.508 Square rose flat 55 x 55 mm



12.1704.508 Key rose square flat 55 x 55 mm



Stainless steel escutcheons for full size mortise marine locks
Finish: satin or mirror polished stainless steel



#12.222 Escutcheon
stainless steel clip on model



#12.1410 escutcheon
Stainless steel clip on model



Spring loaded
escutcheon
for Izerwaren levers



Inner escutcheon
for any lever or knob
with 18 mm diameter
collar






#12.42314 dummy
plate escutcheon
for Izerwaren levers
(see page 1-1-3)

**Order only with
part #12.222 or
part #12.1410**

**Order only with
part #12.222 or
part #12.1410**

**Part of a set with
part #12.222 or
#12.1410**






Rose for Lever: 12.110F 55 mm diameter All Parts Stainless Steel



Clip on style function with inner rose, rose is spring Loaded.
Screws invisible. For Use with Special FSB Brand Levers Only.
We can provide you with custom roses for other brand levers.

Contact our office at Sales@Izerwaren.com






Rose #12.1703 Rose for Lever: 55 mm diameter All Parts Stainless Steel



Clip on style function with inner rose, rose is spring Loaded.
Screws invisible. For Use with Special FSB Brand Levers Only.
We can provide you with custom roses for other brand levers.

Contact our office at Sales@Izerwaren.com






Rose for Lever: 12.179814 - 65 mm diameter All Parts Stainless Steel



Clip on style function with inner rose, rose is spring Loaded.
Screws invisible. For Use with Special FSB Brand Levers Only.
We can provide you with custom roses to fit other brand levers.
Contact our office at Sales@Izerwaren.com

WWW.IZERWAREN.COM SALES@IZERWAREN.COM




Rose for Lever #12.1705. 65 mm Diameter. Sold as pair.



Clip on style function with inner rose, rose is spring Loaded.
Screws invisible. For Use with Special FSB Brand Levers Only.
We can provide you with custom roses to fit other brand levers.

Contact our office at Sales@Izerwaren.com

WWW.IZERWAREN.COM SALES@IZERWAREN.COM




Rose for PC Keyway: 12.111.Z 55 x 55 mm All Parts Stainless Steel
 Clip on style function with inner rose. Screws invisible




Cylinder must be
 ordered separately

For Profile Cylinders: see section “Key Systems / Profile Cylinders”

WWW.IZERWAREN.COM SALES@IZERWAREN.COM



Rose for PC Keyway: 12.1704 55 x 55 mm All Parts Stainless Steel
Clip on style function with inner rose. Screws invisible



Cylinder must be
ordered separately

For Profile Cylinders: see section “Key Systems / Profile Cylinders”

WWW.IZERWAREN.COM SALES@IZERWAREN.COM



11.SEFT.011 Trioving Entry lock with Izerwaren Trimset. Escutcheon #12.222, lever #12.527



#11.SEFT.011 GSV entry Lock 65 mm backset with Izerwaren Trim Polished Stainless Steel



19.83Z50.308 Entry Mortise Lock
50 mm Backset for Framed Doors



#19.82Z25.508 Entry Mortise Lock
25 mm Backset for Framed Doors. Satin Stainless Steel




#10.9345Z.308
Entry Mortise Lock SET 55 mm backset with Roses.
Polished Stainless Steel and Polished Chrome



#11.SEFT.019
Entry Mortise Lock. Set 55 mm backset.
Heavy Duty. Solid Latch. Mega Yacht Upgrade.
Polished Stainless Steel



#12.73F7.508 Passage Mortise Lock 55 mm Backset
Solid Latch. Satin Stainless Steel




#14.73Z5 Entry Mortise Lock 55 mm Backset
Solid Latch. Polished Stainless Steel




14.73W6.308
Privacy Mortise Lock 55 mm backset.
Polished Stainless Steel




#11.SEFT.037
Sliding Door Lock with 55 mm Backset
Two Hook Bolts. Complete Set
Polished Stainless Steel



#11.EBET01; Complete SET Rim Mounted Box Lock. Lock and Box Stainless steel. Roses and Levers Chrome Plated Brass.



#11.BDRT01. Complete SET Rim Mounted Box Lock. Lock and Box Stainless steel. Roses and Keyway Chrome Plated Brass.



#11.SBET01; Complete SET Rim Mounted Sliding Box Lock. Lock and Box Stainless steel. Roses and Keyway Chrome Plated Brass.

MORTISE LOCKS AND LOCK BOX CASE PARTS SEPARATE



#11.390 box only




#11.312 entry lock




#11.382 sliding entry lock




#11.341 dead bolt lock




SET #13.27CZ Entry rim lock set complete; backset 55 mm Order Strike Box #13.225 SEPARATE




SET #13.27SZ Deadbolt rim lock set complete; backset 55 mm and keyway. Order Strike Box #13.225 SEPARATE




SET #13.27SF Passage rim latch set complete; backset 55 mm Order Strike Box #13.225 SEPARATE



SET #13.501 Deadbolt rim lock complete; Backset 75 mm 2 Throws: 14 mm + 12 mm = 26 mm









SET Rim lock #13.31Z.508 Deadbolt rim lock set complete; Backset 52 mm. Throw: 13 mm










Rim lock #13.31SZ7; SET Deadbolt rim lock Privacy set with Thumb-turn. Backset 52 mm (2 inch). with thumb-turn #05.008



Order number	Material	Back set	Specifics	Finish
 Entry mortise series 14.73Z: triple latch bolt. for use with Profile Cylinder keyway	Triple latch bolts for easy closing of doors in interior spaces.			
#14.73Z.508	Stainless Steel	55 mm	Entry Lock, key way separate	satin stainless steel
#14.73Z.308	Stainless Steel	55 mm	Entry Lock, key way separate	polished stainless steel
#14.73Z2	Brass Polished	55 mm	Entry Lock, key way separate	brass not lacquered
 Entry mortise series 14.73SZ: Solid latch bolt. for use with profile cylinder keyway	Solid latch bolt for use with: Extra heavy doors Doors with Gaskets Fire rated doors Weather doors.			
#14.73PZ.508	Stainless Steel	55 mm	Entry Lock, key way separate	satin stainless steel
#14.73PZ.308	Stainless Steel	55 mm	Entry Lock, key way separate	polished stainless steel
 full SET entry mortise lock, series 14.73Z5: with triple latch bolt			 standard round corners; as in "3"	 Thickness lock case 5/8" or 15 mm
#14.73Z5.508 set	Stainless Steel	55 mm	Full set	satin stainless steel
#14.73Z5.308 set	Stainless Steel	55 mm	Full set	polished stainless steel








For different options like finish and other configurations, please contact our office sales@Izerwaren.com






Order number	Material	Back set	Specifics	Finish
 Privacy mortise locks series 14.73W: with triple latch bolt	Triple latch bolts for easy closing of doors in interior spaces. Use 9x9 mm spindle for levers 7x7 mm spindle for thumb-turn / indicator			
# 14.73W.508	Stainless Steel	55 mm	Mortise only	satin stainless steel
# 14.73W.308	Stainless Steel	55 mm	Mortise only	polished stainless steel
# 14.73W2	brass	55 mm	Mortise only	brass not lacquered
 Privacy mortise locks series 14.73SW: with solid latch bolt	Solid latch bolt for use with: Extra heavy doors Doors with Gaskets Fire rated doors Weather doors. Use 9x9 mm spindle for levers 7x7 mm spindle for thumb-turn / indicator			
# 14.73SW.508	Stainless Steel	55 mm	Mortise only	satin stainless steel
# 14.73SW1.308	Stainless Steel	55 mm	Mortise only	polished stainless steel
 full SET privacy mortise lock, series 14.73W5: triple latch				 Thickness lock case 5/8" or 16 mm
# 14.73W5.508 SET	Stainless Steel	55 mm	Full set	satin stainless steel
# 14.73W6.308 SET	Stainless Steel	55 mm	Full set	polished stainless steel

For different options like finish and other configurations, please contact our office sales@lzerwaren.com








Order number	Material	Back set	Specifics	Finish
 Passage mortise latch series 14.73F: with triple latch bolt	Triple latch bolts for easy closing of doors in interior spaces.		 standard round corners; specify square or 3/8" radius otherwise	
#14.73F.508	Stainless Steel	55 mm	Mortise only	satin stainless steel
#14.73F.308	Stainless Steel	55 mm	Mortise only	polished stainless steel
#14.73F2	brass	55 mm	Mortise only	brass not lacquered
 Passage mortise latch series 14.73SF: with triple latch bolt	Solid latch bolt for use with: Extra heavy doors Doors with Gaskets Fire rated doors Weather doors.		 standard round corners; specify square or 3/8" radius otherwise	
#14.73SF.508	Stainless Steel	55 mm	Mortise only	satin stainless steel
#14.73SF.308	Stainless Steel	55 mm	Mortise only	polished stainless steel
 Full set passage mortise latch; series 14.73F5 with triple latch			 standard round corners; specify square or 3/8" radius otherwise	 Thickness lock case 5/8" or 16 mm
#14.73F5.508	Stainless Steel	55 mm	Full set	satin stainless steel
#14.73F6.308	Stainless Steel	55 mm	Full set	polished stainless steel



Order number	Material	Back set	Specifics	Finish
 Dead Bolt mortise lock series 14.73R for Profile Cylinder	Dead Bolt Lock only With Profile Cylinder Function		 standard round corners (3); specify square or 3/8" radius otherwise	Similar to other locks from this series
#14.73R.508	Stainless Steel	55 mm	Mortise only	satin stainless steel
#14.73R.308	Stainless Steel	55 mm	Mortise only	polished stainless steel
 Entry mortise lock series for skeleton keys, 14.730: with triple latch bolt	Entry Lock with skeleton Key and triple Latch Bolt		 standard round corners (3); specify square or 3/8" radius otherwise	
#14.730	stainless steel	55 mm	Mortise only	satin stainless steel
#14.730I	stainless steel	55 mm	Mortise only	polished stainless steel
 Entry mortise lock series for skeleton keys, 14.73S0: with solid latch bolt	Entry Lock with solid latch bolt And skeleton key function		 standard round corners; (3) specify square or 3/8" radius otherwise	
#14.73S0	satin stainless steel	55 mm	Mortise only	satin stainless steel







For different options like finish and other configurations, please contact our office sales@Izerwaren.com










Order number	Material	Back set	Specifics	Finish
 escutcheon plate entry model round holes square holes				
#14.129.508	Stainless Steel		 outside inside escutcheon plate mounting: through bolts with square female nut on outside, Philips head on inside	
#14.129.308	Stainless Steel		Pair; one round holes, one square holes	Satin stainless steel
#14.128.508	Stainless Steel		Pair; one round holes, one square holes	Polished stainless steel
#14.128.508	Stainless Steel		Single; round holes	Satin stainless steel
#14.127.508	Stainless Steel		Single; square holes	Satin stainless steel
 escutcheon plate privacy model round holes / square holes				
#14.119.508	Stainless Steel		 outside inside escutcheon plate mounting: through bolts with square female nut on outside, Philips head on inside	
#14.119.308	Stainless Steel		Pair; one round holes, one square holes	Satin stainless steel
#14.119.308	Stainless Steel		Pair; one round holes, one square holes	Polished stainless steel
#14.118.508	Stainless Steel		Single; round holes With thumb-turn attached	Satin stainless steel
#14.117.508	Stainless Steel		Single; square holes With red/green indicator	Satin stainless steel
#14.117.308	Stainless Steel		Single; square holes With red/green indicator	Polished stainless steel
#14.116.508	Stainless Steel		Single; square holes With slotted indicator	Satin stainless steel
#14.116.308	Stainless Steel		Single; square holes With slotted indicator	Polished stainless steel
 Kunststoffeinsatz				
05.599.608	PC cover 3 mm	Stainless steel	 #05.599	
05.599I.608	PC cover 8 mm	Stainless steel	 #05.599I	
			Profile cylinder covers, spring loaded. Overall sizes: 29 x 58 x 12 mm Overall sizes: 29 x 58 x 17 mm	

For different options like finish and other configurations, please contact our office sales@lzerwaren.com













Order number	Material	Back set	Specifics	Finish
 escutcheon plate passage model round holes square holes			 escutcheon plate mounting: through bolts with square female nut on outside, Philips head on inside	
#14.109.266	Brass		Pair; one w. round holes, One w. square holes	Polished chrome
#14.109.508	Stainless Steel	55 mm	Pair; one w. round holes, One w. square holes	Satin stainless steel
#14.109.308	Stainless Steel	55 mm	Pair; one w. round holes, One w. square holes	Polished stainless steel
#14.108.508	Stainless Steel		Single; round holes	Satin stainless steel
#14.107.508	Stainless Steel		Single; square holes	Satin stainless steel
 nylon insert bearing for escutcheon plates escutcheon plate drawing showing installed nylon bearing			 Thumb turn with 7 x 7 mm square stock for use with escutcheon #14.118.508	 Through bolts, set, Stainless steel Indicate size For use with escutcheons
#14.1TT	Thumb-turn		Single, 7 x 7 mm spindle	Satin chrome brass
#14.139	Nylon		Bearing for escutcheon each	nylon
#14.149	Through bolts		Set, male-female ,	Stainless steel
 lever set with stainless steel spindle			 lever set #14.999 #14.99A EXTENDED	
#14.999.508	stainless steel		Lever handle set satin stainless steel	
#14.999.308	stainless steel		Lever handle set polished stainless steel	
#14.99A.508	stainless steel		Lever handle set satin stainless steel for rim locks	
#14.99A.308	stainless steel		Lever handle set polished stainless steel for rim locks	
 Brass lever set with stainless steel spindle			 lever set #14.310 with 8 x8 mm or 9x9 mm square spindle	
#14.3101	Chrome plated brass		Lever handle "sable" set polished chrome plated brass	
#14.310	Brass		Lever handle "sable" brass polished	



Order number	Material		Specifics	Finish
 strike plate for passage lock, full size round corners		 standard round corners;	 strike plate for passage lock, round corner	
14.626	Stainless steel	specify	Strike plate passage full size lip 29 mm	Satin stainless steel
14.626I	Stainless steel	specify	Strike plate passage full size lip 29 mm	Polished stainless steel
 strike plate for entry lock		 standard round corners;	 strike plate for entry lock, round corner	
14.231.508	Stainless steel	specify	Strike plate entry lip 29 mm	Satin stainless steel
14.231.308	Stainless steel	specify	Strike plate entry lip 29 mm	Polished stainless steel
 strike plate for passage lock, long lip 3		 standard round corners;	 strike plate for passage lock, full size round	
14.626S	Stainless steel	specify	Strike plate passage full size lip 47.5 mm	Satin stainless steel
14.626P	Stainless steel	specify	Strike plate passage full size lip 47.5 mm	Polished stainless steel
 strike plate for entry lock, long lip		 standard round corners;	 strike plate for entry lock, round corner type 3	
14.231S	Stainless steel	specify	Strike plate entry lip 47.5 mm	Satin stainless steel
14.231P	Stainless steel	specify	Strike plate entry lip 47.5 mm	Polished stainless steel

WE BEND AND CUT STRIKE PLATES ACCORDING TO YOUR SPECIFICATIONS





Order number	Material	Backset	Specifics	Finish
			 Thickness lock case 5 /8" or 15 mm	
14.220.266	Brass	55 mm	Latch uses 9x9 mm spindle	Polished Chrome Plated
				
14.251.266	Brass		Strike plate passage lip 29 mm	Chrome plate brass
			 Insert #22.7000 with rose #16.954 thumb-turn #16.90W and indicator #16.91W	
14.17W	Stainless steel	55 mm	Works with Thumb-turn	Satin or Polished Stainless steel
				
14.17Z.508 14.17Z.308	Stainless steel Stainless steel	55 mm	Works with Profile Cylinder	Satin Stainless steel Polished Stainless steel
				
14.242.508	Stainless steel		Strike plate dead bolt	Satin Stainless Steel
14.242.308	Stainless steel		Strike plate dead bolt	Polished Stainless Steel

For different options like finish and other configurations, please contact our office sales@izerwaren.com



S&B and GSV Marine Door Locks, 55 mm backset, with **UPGRADE** to Mirror Polished Stainless Steel Exterior Yacht Doors.





#11.SRFT.017 Complete **Privacy** Lock SET,
#11.SRFT.027 Complete **Privacy** Lock SET,

Lever #12.527
Lever #12.527

Rose Convex #12.110C
Rose Flat #12.110F


Thumb-turn
Thumb-turn set



#11.SRFT.037 Complete **passage** lock SET


Lever #12.527

Rose Convex #12.110C



#11.SRFT.021 Complete **privacy** lock set with Lever #11.045 Lever with rose convex #12.110C

Thumb-turn/indicator set



#11.SRFT.137 Complete **passage** lock set with Lever #11.045 Lever with rose convex #12.110C



Izerwaren Order numbers	• Stainless Steel Heavy Duty Mortise Lock • Backset 65 mm • Standard finish: Satin stainless steel • Option: Mirror Polished Stainless Steel	 Entry lock set #14.3137ZR 65 mm backset	
14.3137ZR	Set: Polished Entry Door Mortise Lock: Levers, roses, strike plate and profile cylinder	 Entry lock set #14.3127ZE 65 mm backset	
14.31273	Entry Door Mortise Lock separate Lock case: 97 mm x 164 mm x 16 mm Backset 65 mm PC= 72 mm Front plate 235 x 24 mm For 9x9 mm spindle	 Privacy lock set #14.3178WR 65 mm backset	
14.0031.308	Strike plate entry separate stainless steel	 Passage lock set #14.3189FR 65 mm backset	
14.3127ZE	Set: Entry Door Mortise Lock : Levers, Escutcheons, strike plate and profile cylinder Lever Standard # 12.527; 135 mm x 58 mm Stainless steel #12.222 Escutcheon 45 x 245 mm Stainless steel;	Passage lock set #14.3189FR 65 mm backset	14.0032 Strike plate stainless steel
12.222		Passage lock set #14.3189FR 65 mm backset	Check profile cylinder section for special keyways
14.3178WR	Set: Privacy Door Mortise Lock: Levers, roses, Thumb-turn/indicator with roses, strike plate.	Passage lock set #14.3189FR 65 mm backset	Check profile cylinder section for special keyways
14.3178	Privacy Door Mortise Lock separate Lock case: 97 mm x 164 mm x 16 mm Backset 65 mm WC= 72 mm Front plate 235 x 24 mm For 9x9 mm spindle Lever Standard # 12.527; 135 mm x 58 mm Stainless steel		
14.3189FR	Set: Passage Door Mortise Lock: Levers, roses		
14.3189	Passage Door Mortise Lock separate Lock case: 97 mm x 164 mm x 16 mm Backset 65 mm stainless steel Front plate 235 x 24 mm		
14.0032.308	Strike plate Passage stainless steel		
12.527	Lever # 12.527; 135 mm long; stands off 58 mm Stainless steel		
12.110S	Rose #12.110S; 55 mm diameter Stainless steel fire rated		

CHECK WITH OUR OFFICE FOR YOUR SPECIAL APPLICATION



Izerwaren
Order
numbers

- Stainless Steel Heavy Duty Tripple Mortise Lock
- Backset 65 mm
- Standard finish: Satin stainless steel
- Option: Mirror Polished Stainless Steel

14.10702

Set: Satin Stainless Triple Entry Door Mortise Lock Left hand


14.10701

Set: Satin Stainless Triple Entry Door Mortise Lock Left hand

Backset 65 mm PC= 72 mm
Front plate 235 x 24 mm
For 9x9 mm spindle


14.0031.508

Strike plate entry satin stainless steel



14.251

Strike plate passage satin st. steel





Specify Trim set

<https://izerwaren.biz/home/product/2526?name=our-mega-yacht-upgrade-levers-escutcheons-escutcheon-roses>





**Showing Left Hand
Set #14.10702**

**CONNECTION BAR
NOT PROVIDED**




Check profile cylinder section for keyways





#14.4610.508 Heavy Duty Stainless Steel 65 mm backset
Weather Door Entry Lock with solid latch bolt



#14.4610.508 65 mm backset. Satin or Polished Stainless Steel



Check with our office for function and door thickness for key ways.

Trim samples




Mega Yacht upgrade Escutcheon #12.222
Lever #12.52 More options available.




Use Roses #14.350 Lever #14.999



Escutcheon #14.129 Lever #14.999



Escutcheon #14.129 Lever #14.610





Izerwaren
Order
numbers

- Stainless Steel Heavy Duty Mortise Lock
- For Full Size Doors.
- Minimum Door Thickness 38 mm / 1.5 inch
- Backset 65 mm
- Standard finish: Satin Stainless Steel
- Option: Mirror Polished Stainless Steel

14.31U.508 Set: Entry Door Mortise Lock: Levers, escutcheons, strike plate and profile cylinder Satin Stainless Steel

14.3127 Entry Door Mortise Lock only
Lock case: 97 mm x 164 mm x 16 mm
Backset 65 mm PC= 72 mm
Front plate 235 x 24 mm
For 9x9 mm spindle

14.0031.508 Strike plate entry only stainless steel

12.045.508 Levers only, pair U shape 142 mm long

12.222.508 Escutcheons, pair, inner and outer 245 x 45 x 7 mm


05.405.566 Keyway for 1 1/2" thick door
Keyway outside / thumb turn inside




Entry Lock Set #14.31U.508
Satin Stainless Steel





Dimensions:



#14.3127.508 Entry Lock





#14.0031.508 Strike Plate




#12.045.508 U shaped Lever (pair)



#12.222.508 Escutcheon Plates (pair) Invisible mounting



Profile Cylinder key/knob Series #05.405.566 for 1 1/2" thick doors





Izerwaren
Order
numbers

- Mortise lock backset 25 mm 1"
- Heavy duty
- Minimum door thickness 1 1/4"
- Minimum door style width: 1 5/8"
- Lock front plate case and parts 304 stainless steel
- Strike plate included
- Lock plate has square corners
- Both handed (latch-bolt reversible)
- finish: Satin stainless steel or Polished stainless steel

WELL SUITED FOR NARROW STYLE ALUMINUM DOORS WITH GLASS PANELS

19.82Z Entry Mortise Lock

Backset 25 mm
Center spindle to center key-hole: 78 mm (PC=78 mm)
Case: 40 mm x 180 mm x 17 mm thick
Front plate 250 x 22 mm
For 8x8 mm spindle / door lever handles Material: 304 stainless steel for lock case and lock plate. Bolts are nickel plated brass; bronze springs.

19.83Z Entry Mortise Lock

Backset 50 mm
Center spindle to center key-hole: 78 mm (PC=78 mm)
Case: 65 mm x 180 mm x 17 mm thick
Front plate 250 x 22 mm
For 8x8 mm spindle / door lever handles Material: 304 stainless steel for lock case and lock plate. Bolts are nickel plated brass springs are bronze.

MATCHING SET DOOR HANDLES AND OVAL ROSES



12.507 **Oval Rose** for lever 66.5 x 29.5 mm



12.517 **Oval Rose** for Profile Cylinder
66.5 mm x 29.5 mm
Material: 304 stainless steel



12.045 **Door lever handle** 142x62 mm
Material: 304 stainless steel

Available with the following functions:


Passage, Privacy or Entry
Functions available through
Profile Cylinder set up
Contact our office
Sales@izerwaren.com



05.405 **Profile cylinder #1400 series**
Specify door thickness and function
cylinder.





#19.82Z25.508
Narrow backset mortise entry lock
lock case: 1 9/16 x 7 1/8" x 3/4" thick
lock plate: 7/8" x 9 7/8"
#12.021 Special cropped stainless steel lever handle
with oval roses #12.507
Profile cylinder #05.400 with over roses #12.517



#19.82Z 25 mm backset

#19.83Z 50 mm backset






Izerwaren
Order
numbers

- Mortise lock backset 25 mm 1"
- Heavy duty
- Minimum door thickness 1 1/4"
- Minimum door style width: 1 5/8"
- Lock front plate case and parts 304 stainless steel
- Strike plate included
- Lock plate has square corners
- Both handed (latch-bolt reversible)
finish: Satin stainless steel or
Polished stainless steel

**WELL SUITED FOR NARROW
STYLE ALUMINUM DOORS
WITH GLASS PANELS**

19.82Z Entry Mortise Lock

Backset 25 mm
Center spindle to center key-hole: 78 mm (PC=78 mm)
Case: 40 mm x 180 mm x 17 mm thick
Front plate 250 x 22 mm
For 8x8 mm spindle / door lever
handles Material: 304 stainless steel
for lock case and lock plate. Bolts are
nickel plated brass; bronze springs.





#19.83Z

19.83Z Entry Mortise Lock

Backset 50 mm
Center spindle to center key-hole: 78 mm (PC=78 mm)
Case: 65 mm x 180 mm x 17 mm thick
Front plate 250 x 22 mm
For 8x8 mm spindle / door lever
handles Material: 304 stainless steel
for lock case and lock plate. Bolts are
nickel plated brass springs are
bronze.

**MATCHING SET DOOR HANDLES
AND ESCUTCHEONS**



#12.045



#19.83Z 50 mm backset
Backset 50 mm

12.222 Escutcheon 45 x 245 mm
304 stainless steel

12.045 Door lever handle 142x62 mm
Material: 304 stainless steel


**Available with the following
functions:**

Passage, Privacy or Entry


Functions available through
Profile Cylinder set up
Contact our office
Sales@izerwaren.com




05.405 Profile cylinder #1400 series
Specify door thickness and function
cylinder.



#19.88286 right
#12.88285 left



Escutcheon #12.1410



16.S04Z.266 SET 40 mm backset Entry Marine Lock.

#12.59Z Trim set separately.

#05.488.266 keyway (PC) separate


**Marine Locks for min. 1" thick doors with a max. weight of 70 lbs.
1 1/2" backset; lock case: 2 3/4" x 5 5/8"**



16.S04W.266 SET 40 mm backset Privacy Marine Lock.

#12.59W Trim set separately.


Indicator / emergency release
Option 1: for operating with spanner key #14.529
Option 2: slotted head operate with screwdriver



16.S04F.266 SET 40 mm backset Passage Marine Lock.


#12.59F Trim set separately.

For different options like finish and other configurations, please contact our office sales@izerwaren.com




SET: 16.S04Z Entry lockset 40 mm backset with standard escutcheon and lever, keyway and strike.

SET: 16.S05Z Entry lockset 50 mm backset with standard escutcheon and lever, keyway and strike.




SET: 16.R04Z Entry lockset 40 mm backset with rectangular escutcheon and half sable lever, keyway and strike.

SET: 16.S05Z Entry lockset 50 mm backset with rectangular escutcheon and half sable lever, keyway and strike.



SET: 16.S04W Privacy lockset 40 mm backset with standard escutcheon and lever, thumb-turn and indicator

SET: 16.S05W Privacy lockset 50 mm backset with standard escutcheon and lever, thumb-turn and indicator,



SET: 16.R04W Privacy lockset 40 mm backset with rectangular escutcheon and half sable lever, thumb-turn and indicator

SET: 16.R05W Privacy lockset 50 mm backset with rectangular escutcheon and half sable lever, thumb-turn and indicator




16.S04Z SET


16.S04W SET

16.S04F SET Passage


16.R04F Passage Lock separate



14.481 Entry sliding door lock 40 mm backset:
14.581 Entry sliding door lock 50 mm backset:




16.59Z Trim set
16.59Z Trim set





14.48S strike plate
14.48S strike plate




05.400 keyway
05.400 keyway




14.471 Privacy lock 40 mm backset with trim
14.571 Privacy lock 50 mm backset with trim





12.59W trim set for privacy lock
12.59W trim set for privacy lock




14.48S strike plate
14.48S strike plate




14.491 Entry lock 40 mm backset with skeleton key and trim
14.591 Entry lock 50 mm backset with skeleton key and trim




12.590 trim set
12.590 trim set




14.48S strike plate.
14.48S strike plate.



14.891 Passage latch sliding 40 mm backset with trim
14.991 Passage latch sliding 50 mm backset with trim




12.59F trim set for passage lock
12.59F trim set for passage lock




14.48S strike plate.
14.48S strike plate

For more lever trim sets: see Decorative Trim Section on Line




40 mm backset: 16.04Z entry strike
50 mm backset: 16.05Z entry strike



16.26Z Entry strike




16.04W privacy lock
16.05W privacy lock




16.04F passage lock
16.05F passage lock
16.27F Passage




12.59Z trim set for profile cylinder




12.59W trim set for privacy lock




12.59F trim set for passage lock




14.129 escutcheons for profile cylinder




14.119 escutcheons for Privacy lock



14.109 Escutcheons for passage lock




14.999 levers for rectangular escutcheon



keyways: key/knob key/key: see page 0-5


All sliding mortise locks are 40 mm backset




14.69Z entry sliding locks



14.69S strike




14.69W privacy sliding lock



14.69F passage sliding lock


For more lever trim sets: see Decorative Trim Section on Line




#18.968 Entry Lock with skeleton key




#12.68K Levers Escutcheons for skeleton key



#18.90B strike plate for #968 series




#18.68F Passage Latch



#12.68F Levers Escutcheons passage latch




#12.969 Knobs & Escutcheons set




#18.68W Privacy Lock Thumb-turn/indicator



#12.68W Thumb-turn / Indicator Levers Escutcheons for Privacy Lock




#18.90B Strike plate for #968 series




#18.68ZK Entry Lock Cylinder Key/Key



#12.68Z Levers Escutcheons for cylinder key



#12.90B strike plate for #968 series



#18.68Z Entry Lock Cylinder Key/Knob



#12.68Z Levers Escutcheons for cylinder key



**Marine Mortise Lock Sets Series with 30 mm (1 3/16") Backset. Lock case 1/2" thick.
For 1" (25 mm) thick doors. Polished Chrome Plated Brass**



Izerwaren
Order
Numbers



- Brass rim lock, backset 30 mm - 1 3/16"
 - Minimum door thickness 10 mm - 3/8"
 - Specify door thickness when ordering
- Finish: Chrome plated brass

17.928Z **17.928Z entry lock**
with cylinder key and thumb-turn inside
Center spindle hole to center key hole: 55 mm
Case: 50 mm x 104 mm x 12 mm thick
For 7 x 7 mm spindle




17.979Z **17.979Z entry lock** with cylinder key only
Center spindle hole to center key hole: 55 mm
Case: 50 mm x 114 mm x 12 mm thick
For 7 x 7 mm spindle on the lever

17.7467 **Entry Trim plate and Lever** for outside




17.928 **Entry Rim Lock with skeleton key**
Center spindle hole to center key hole: 55 mm
Case: 50 mm x 104 mm x 12 mm thick
For 7 x 7 mm spindle

12.68K **Entry Trim plate and Lever**
For skeleton key outside





17.92W **Privacy Rim Lock**
Center spindle hole to center key hole: 55 mm
Case: 50 mm x 104 mm x 12 mm thick
For 7 x 7 mm spindle







18.90B **Strike Plate**

12.969 **Escutcheon with knob**
Passage model only





11.1615 Marine Grade 316 Stainless Steel Entry Lock with 1 1/2 inch backset (38 mm) with half cylinder and thumb-turn and strike plate




Backset	A	B	C	D	E	F	Fastener
1-1/2"	4-1/8"	3-9/16"	3/4"- 1-1/2"	5-1/4"	1-1/4"	7/16"	#8 FH
38 mm	105 mm	90 mm	19 to 38 mm	134 mm	32 mm	11 mm	No 8 screw flat head

This Locking Door Handle Latch is highly polished for a modern, sleek look. Features open from outside deadbolt with cylinder lock mechanism. Includes strike plate, mounting template and two keys. For doors 3/4" – 1-1/2" thick. Constructed of corrosion resistant investment cast 316 stainless steel. Latch and strike plate install with four #8 FH fasteners (not included)



#11.1160 Passage model (no key) see page 1-5-3 for details



#11.1610

A

B

C

D

E

F

1 1/2 inch backset

4-1/8"

2"

3/4"-1-1/2"

3-9/16"


1-3/4"

7/16"



Stainless Steel Latch for doors from 3/4 inch to 1 1/2 inch thick
with Tripple Latch Bolt; Lever Spring Loaded; Strike Lip Bend


#11.1615 keyed entry lock
see Page 1-5-2-B

**“OC” Series Marine Lock replacements.****#16.651A Entry Lock with Skeleton Key 45 mm backset**

With anti rattle latch

Chrome Plated Brass

Sizes: Lock case 2 3/4"x 5 3/16" 1/2" thick; Face Plate: 6/16" x 7 3/16"

#16.651B Entry Lock with Skeleton Key 75 mm backset**#16.653A Entry Lock with Profile Cylinder Key 45 mm backset**


With anti rattle latch

Chrome Plated Brass

Sizes: Lock case 2 3/4"x 5 3/16" 1/2" thick; Face Plate: 6/16" x 7 3/16"

#16.653B Entry Lock with Profile Cylinder Key 75 mm backset


Strike plates are included when purchasing a lock

**“OC” Series Marine Lock replacements.****#16.654A Privacy Latch 45 mm backset**

With anti rattle latch

Chrome Plated Brass


Sizes: Lock case 2 3/4"x 5 3/16" 1/2" thick; Face Plate: 6/16" x 7 3/16"

**#16.655 Passage Latch 50 mm backset**

With anti rattle latch

Chrome Plated Brass

Sizes: Lock case 2 3/4"x 5 3/8" 1/2" thick; Face Plate: 5/8" x 4 3/8"


**#16.653A Entry Lock for Profile Cylinder Key 45 mm backset**

With anti rattle latch


Chrome Plated Brass

Sizes: Lock case 2 3/4"x 5 3/16" 1/2" thick; Face Plate: 6/16" x 7 3/16"

Please order profile cylinder separate.**#16.653B Entry Lock for Profile Cylinder Key 75 mm backset****Complete Entry Lock Set with Profile Cylinder Key 75 mm backset**Please contact our office for availability at Sales@izerwaren.com

**“OC” Series Marine Lock replacements.****#16.2073 Entry Sliding Lock with Profile Cylinder Key 18 mm backset**

Stainless Steel

#16.2497 Escutcheon plate 164 x 25 mm Brass Chrome plated**#16.2962 Small Lever** 70 mm long Chrome plated Brass**#16.2074 Entry Sliding Lock with Profile Cylinder Key 20 mm backset
WITH 5/8 INCH EXTENDED HOOK BOLT!!!**

Stainless Steel

Strike plates are included when purchasing a lock





#18.3786 SET Entry Sliding door lock
with Profile cylinder and strike box
Min. door thickness: 38 mm or 1 1/2 inch



#18.3838 Privacy Sliding Door lock
with strike plate
min. door thickness: 25 mm



#18.3796 Passage Sliding door lock
with strike plate
min. door thickness: 25 mm



Entry set #18.3448
With skeleton keys (2X)
Minimum Door thickness
25 mm or 1 inch

R & C SWINGING DOOR LOCKS
SEE PAGE 1-13-C-B:

#18.3786 Entry Lock set with Profile Cylinder keyway. 60 mm backset
S = Minimum door thickness is 32 mm or 1 1/2 inch.
S2 = Maximum door thickness for the standard keyway: 1 3/4 inch
For thicker doors please specify door thickness.
Stainless steel plates with brass parts.
Strike box brass chrome plated




#18.3372 strike box for entry lock only




#18.3447 Strike plate for privacy lock #18.3838 and passage lock #18.3796





Entry lock with Skeleton Keys. Min. door thickness: 25 mm or 1 inch





Entry set #18.3448 backset 60 mm or 2 3/8 inch
With 2 skeleton keys
Minimum Door thickness
25 mm or 1 inch



#18.9448 Sliding door lock with skeleton keys 60 mm backset / 2 3/8 inch
Also available with 100 mm backset special order email our office

Levers #18.3828




#18.3796 Passage sliding door lock 60 mm backset for minimum door thickness




R & C SWINGING DOOR LOCKS

Marine grade; stainless steel and brass chrome plated parts.



18.2035 SET; Entry Lock; 370 mm backset. Face plate: 212 x 18/22 x 2 mm; Lock case: 165 high x 75 wide x 13 mm thick. Escutcheon plate: 196 x 36 mm, Lever 110 mm long overall.



#18.2031 SET Passage door lock 50 mm backset. Face plate: 144 x 22 x 2 mm; Lock case: 95 high x 75 wide x 13 mm thick. Escutcheon plate: 196 x 36 mm, Lever 110mm long overall.

- #18.203512 Entry lock separate
- #18.2036 Strike plate for entry lock separate
- #18.3125 Levers pair separate
- #18.3992 Escutcheons for entry lock separate

- #18.204112 Passage latch separate
- #18.2032 Strike for passage latch
- #18.2041 Escutcheons for passage latch separate



IZERWAREN
Order
numbers

- Mortise lock, backset 55 mm - 2 3/16"
- Pocket doors: Minimum door thickness using flush escutcheon plates on both sides: 1 3/4"
- Minimum door thickness using protruding door lever handles: 32 mm - 1 1/4"
- Solid brass hook bolt
- Round corners on lock plate
- Polished chrome plated brass



13.81Z5 **SET: Entry Sliding Door Mortise Lock with escutcheon plates and levers**



13.81Z6 **SET: Entry Sliding Door Mortise Lock with flush escutcheon plates and levers**

13.81Z **Sliding Door Mortise Lock only**
Center spindle hole to center key hole: 75 mm
Case: 80 mm x 152 mm x 16 mm thick
Front plate 210 x 25 mm
For 9x9 mm spindle /door lever handles
Use with profile cylinder key/key or knob/key


13.81S **Strike plate** (stainless, square corners)

13.81B **Strike plate** (brass, round corners)


05.400 **Profile Cylinder** key/key 30/30 mm



see page 0-5 for details



Entry Lock Set#13.81Z5; 55 mm backset; Levers #14.999 Escutcheon #14.129




Entry Lock Set#13.81Z6; 55 mm backset; Flush lever set: #13.610Z
Minimum door thickness this set up: 42 mm or 1 3/4 inch

13.81W **Privacy Sliding Mortise Lock**


13.81F **Passage Sliding Mortise Lock**
Case: 80 mm x 152 mm x 16 mm thick
Front plate 210 x 25 mm
9x9 mm spindle for lever handles

13.81S **Strike plate**

13.610Z **Flush Lever& Escutcheon pair**



#13.81Z



#13.81S



Edge pulls #13.249;



#13.219;



#13.239

For Pocket Doors. Sizes Edge Pulls: see page 5-2



Trim for 40 and 50 mm locksets (4040, 4050 series and I6.S04 series)



#12.59Z



#12.59W



12.59F



Roses & Levers #18.740 + #16.924

GSV and S&B Trim for 40, 50 and 55 mm locksets see page 1-4 and following



Classic Lever #14.310



Lever handles #14.999




Lever handle #14.610

Shown with Escutcheon Plates #14.129 for use with 55mm backset GSV locks



#14.304 Lever roses, pair 51 mm pair; for levers 14.310; 14.999, 14.610



#14.60Z profile cylinder roses



#14.604 roses for bit keys



#14.40W Thumb-turn/indicator set




#10.9345Z.308 Set: Entry lock 55 mm backset, with lever #18.956, roses #14.304.



Levers #18.956

107 x 42 mm




showing with roses #14.304

For different options like finish and other configurations, please contact our office sales@izerwaren.com



EXPLODED VIEW 2019 SETUP STAINLESS STEEL LEVERS AND STAINLESS STEEL ROSES



Lever shown:


LEVER 12.1093

ROSE 12.110N

WWW.IZERWAREN.COM


SALES@IZERWAREN.COM

In the autumn of 1996, Düsseldorf-based interior designer Heike Falkenberg asked to recreate an old handle design for a renovation job. Using the sketch she submitted, developers milled a prototype from an 1076 handle. This looked so good that we decided to market our gripping idea.



LEVER: 12.1035

ROSE: 12.1703



DOOR PULL: 12.666540






PICTURED: DOUBLE DOOR SET UP WITH LEVER #12.1035 AND ESCUTCHEON #12.1410
DOUBLE DOOR LOCKS UPON REQUEST, DEPENDING ON YOUR APPLICATION.
CAN BE USED FOR MARINE APPLICATIONS AND COMMERCIAL APPLICATIONS

WWW.IZERWAREN.COM SALES@IZERWAREN.COM




LEVER #12.555.308 "Semi Flush"



#12.110F Round Rose flat

Stainless steel rose round, 55 mm diameter.



Stainless steel rose square, 55 x 55 mm

Choose Our Marine
Locks on line:



40 and 50 mm
backset
Door thickness: 1 inch




55 mm backset
Doorthickness: 1 1/2 inch



65 mm backset
Doorthickness: 1 1/2 inch


Please check our website at Izerwaren.com for details on lock dimensions.
Let us tell you about the lock functions and finishes that are available to you.
Email us at Sales@Izerwaren.com or phone our office at 954-763-6686



LEVER: 12.53F

ROSE: 12.1798


All Parts Stainless Steel




Rose #12.1798



Square Rose #12.1703




#12.1735 Privacy set



Key Rose #12.111.Z508




Square Key Rose #12.1704



#12.1736 Privacy set


All Roses are also available in 2 9/16 inch (65x65 mm) size




Sliding door set up most used



Escutcheon #12.222




#12.1410




LEVER: 12.045

ROSE: 12.173114

All Parts Stainless Steel




Rose #12.1798




Square Rose #12.1703



#12.1735 Privacy set



Key Rose #12.111.Z508




Square Key Rose #12.1704




#12.1736 Privacy set


All Roses are also available in 2 9/16 inch (65x65 mm) size



Escutcheon #12.222




#12.1410




LEVER: 12.547

ROSE: 12.110F.508

All Parts Stainless Steel




Rose #12.110F.508




Square Rose #12.1703



#12.1735 Privacy set



Key Rose #12.111.Z508




Square Key Rose #12.1704




#12.1736 Privacy set


All Roses are also available in 2 9/16 inch (65x65 mm) size



Escutcheon #12.222




#12.1410




LEVER: 12.576.508

ROSE: 12.110F.508

All Parts Stainless Steel




Rose #12.110F.508




Square Rose #12.1703



#12.1735 Privacy set



Key Rose #12.111.Z508




Square Key Rose #12.1704




#12.1736 Privacy set

All Roses are also available in 2 9/16 inch (65x65 mm) size



Escutcheon #12.222.508Z




#12.1410.508Z




LEVER: 12.1035 ROSE: 12.110F.508

All Parts Stainless Steel




Rose #12.110F.508




Square Rose #12.1703



#12.1735 Privacy set



Key Rose #12.111.Z508




Square Key Rose #12.1704




#12.1736 Privacy set

All Roses are also available in 2 9/16 inch (65x65 mm) diameter



Escutcheon #12.222.508Z



#12.1410.508Z

WWW.IZERWAREN.COM


SALES@IZERWAREN.COM

In the 1950s, the Swiss architect, sculptor and designer Max Bill got together with Ernst Moeckel to fashion a door handle that made design history as the "Ulm handle". From this, Johannes Potente created the 1023 model, which has been an alternative to common U-shaped models ever since.



LEVER: 12.527

ROSE: 12.110



WWW.IZERWAREN.COM

SALES@IZERWAREN.COM



ENTRY MORTISE LOCK COMMERCIAL GRADE

WITH STAINLESS STEEL LEVERS, THUMB-TURN AND SCHLAGE KEYWAY

LEVER: 12.1035 ROSE: 12.110 MECHANISM: UL RATED COMMERCIAL GRADE

WWW.IZERWAREN.COM SALES@IZERWAREN.COM




Interior Grade Privacy Set Up with Tubular Bolts and Lever #12.1251 and Rose #12.1703
Thumb-turn set with square roses #12.1736



LEVER: 12.1251

ROSE: 12.110




WWW.IZERWAREN.COM SALES@IZERWAREN.COM

David Chipperfield's design for the 1004 bears the hallmark of the pioneers of modernism. It is based on a clear formal concept which meets all of the functional requirements while giving expression to his formal idea in both public and private spheres.



LEVER: 12.1004


ROSE: 12.1703



In the 1920s Mr. Mallet-Stevens mitred two sections of cylindrical tubing together: 1076. Mr. Wittgenstein bent a cylindrical brass tube: 1147. Messrs Gropius and Meyer married an angled piece of square section material to a handle bushing: 1102. However, we still don't know today who it was that picked up a saw and "liberated" 1147 from its hemispherical tip.



LEVER: 12.547 ROSE: 12.110




Door Pull: 12.666602

The architect Robert Mallet-Stevens (1886 – 1945) was the one who hit upon the idea of cutting a round tube in two and mitring the ends together again at a right angle. His creation is today known as the "Frankfurt Model". The handle was rediscovered when the Architecture Museum was rebuilt and proceeded to take the market by storm.



LEVER: 12.57647

ROSE: 12.110



DOOR PULL: 12.66669

In 1990, introduced a door handle to the market which originated in the 1920s. The 1076 model has since become the most-copied door handle of the last century. The version shown here, 1016, is a more closed-off counterpart to it.



LEVER: 12.527

ROSE: 12.110



DOOR PULL: 12.6514

150 MM X 350 MM


150 MM X 450 MM

It is not only the return that makes this version of door handle 1035 by Heike Falkenberg different from the original model. Model 1031 also features an inner steel core, creating a larger cross section and a greater grip area.



LEVER: 12.1031

ROSE: 12.110




DOOR PULL: 12.666540

1045 is based on model 1015, which was conceived in the 1930s by a company called wehag. Given the unceasing use of the 1015 model in commercial buildings, we have added a return variant of this design.



LEVER: 12.1045

ROSE: 12.110



WWW.IZERWAREN.COM


SALES@IZERWAREN.COM

The design parameters of the 1025 are plain to see. A straight grip is joined to the pivotal point on the shank. The handle has a droplet-shaped cross-section. With its no-frills looks, this is a design that offers up its services humbly. The 1025 is brought to life by the way it seems to capture the light along its edges.



LEVER: 12.1025

ROSE: 12.110




DOOR PULL: 12.6666

There are a lot of wedge-shaped door handles. Almost every manufacturer offers its own version of this basic shape. The original design for this door handle was most probably produced by Professor Max Burchartz. The 1005 version by Johannes Potente is characterized by its slender proportions.



LEVER: 12.1005

ROSE: 12.110




WWW.IZERWAREN.COM

SALES@IZERWAREN.COM

Catalogue No. 6 published by the S. A. Loevy bronzeware factory in the 1930s includes a variety of door fittings by Rachlis, Grenander, Behrens, Wagenfeld and Paul in which a round shank is combined with a flat grip section.



LEVER: 12.1021 ROSE: 12.110




WWW.IZERWAREN.COM

SALES@IZERWAREN.COM

1173 sports a trumpet shape very much reminiscent of a model that cropped up in the Frankfurt area in the 1920s but has also long been part of the repertoire. It is a masterful variation on the “tubular design” topic and constitutes a welcome alternative to the familiar classics, which we shall refrain from advertising here.




LEVER: 12.1173 ROSE 12.110



POLISHED STAINLESS STEEL



Interior Grade Tubular Latch Bolt with Lever 12.1250




LEVER: 12.1250 ROSE: 12.110

The 1027 model is a stock item in the trade. It is rather disparagingly referred to as the "shoe horn". The underlying design is from Professor Max Burchartz. The handle lies extremely snug in your hand and unobtrusiveness is its watchword. The version of the "shoe horn" is by Johannes Potente.



LEVER: 12.1027

ROSE: 12.110



WWW.IZERWAREN.COM


SALES@IZERWAREN.COM

The 1028 is a variation on the parameters used in the 1025, without neglecting the ergonomic qualities. This is a design that both pleases the eye and is pleasant to touch. The undulating handle looks great and it nestles into your hand.



LEVER: 12.1005


ROSE: 12.110




DOOR PULL : 12.666611

WWW.IZERWAREN.COM


SALES@IZERWAREN.COM



Escutcheon 12.1433 Convex; Lever 12.527; Mirror Polished Stainless Steel



Escutcheon 12.1433 Convex; Lever 12.576; thumb-turn 12.1708 Satin Stainless Steel





Rose #12.1110F Lever #12.576
Thumb-turn set #12.1735



Rose 12.1798 Lever #12.567
Thumb-turn set #12.1735




Rose 12.1703 Lever #12.1004



Rose 12.1705 Lever #12.1004



Escutcheon #12.1433 Convex Stainless Steel
Size 265 x 55 mm (10 1/2" X 2 3/16")
Lever #12.576





**See Catalog Chapter I Page for details
Satin and Mirror Polished Finish**



Izerwaren
Order
numbers



- Stainless Steel Escutcheons for marine locks
- Specify Finish:
- Satin stainless steel
- Mirror Polished stainless steel

12.1433F Stainless steel escutcheon plate
Passage model
Square corners, 265 x 55 x 9.5 mm
Clip on style with inner escutcheon
Screws invisible



Clip on escutcheon #12.1433F with inner plate
Square corners, 265 x 55 x 9.5 mm
10 1/2 x 2 3/16 x 3/8 inch
Stainless steel
Renovation Style


12.1433Z Stainless steel escutcheon plate
Entry Model
Square corners, 265 x 55 x 9.5 mm
Clip on style with inner escutcheon
Screws invisible



Clip on escutcheon #12.1433Z with inner plate
Square corners, 265 x 55 x 9.5 mm
10 1/2 x 2 3/16 x 3/8 inch
Stainless steel; Renovation Style

12.222 Stainless steel escutcheon plate
with round corners, 245 x 45 x 10 mm
Screws invisible

12.1410 Stainless steel escutcheon plate
with square corners, 245 x 45 x 10 mm
Screws invisible




#12.222

#12.222 round #12.1410 square
Stainless steel with clip with inner plate

For Narrow Style Doors:
See pages 1-9-1 and 1-14- and 1-14-A
Cropped lever 12.021: See page 1-1-2

All Lever Models: Page 1-2



Series SLL

Sliding Door Lock

Backsets

2 1/2" (64 mm)
2 3/4" (70 mm)
3 3/4" (95 mm)
5" (127 mm)
6" (152 mm)



Strike


Deadbolt strike with dustbox.

As standard, the deadbolt is always supplied in satin chrome or satin brass. Custom finishes are available on request.

SLIDING DOOR LOCK NO. 12.7005 SPECIFY BACKSET



LEVER 12.567; ROSE 12.110



Cylinder must be ordered separately

KEYWAY THUMB-TURN UPON REQUEST; SPECIFY DOOR THICKNESS

WWW.IZERWAREN.COM SALES@IZERWAREN.COM



FLUSH PULL SET WITH MORTISE SLIDING DOOR LOCK COMPLETE: 13.SB170



POCKET DOOR FLUSH LEVER SET:

PASSIVE SIDE LEFT, 13.SB007 (SET);

ACTIVE SIDE RIGHT 13.SB170 WITH MECHANISM





Izerwaren
Order
numbers

Flush levers and Pulls
Sliding Door Locks

13.SB170

Flush Pulls, Privacy set

230 x 70 mm 9 1/16 x 2 3/4 inch
For 1 1/2 inch door thickness
Flush pulls with flaps and
Thumb-turn / indicator included
Parts separate: Page 5-1-E





Set: 13.SB170; Flush pulls with lock ESL 7001 **minimum door thickness: 1 1/2" (38 mm)**

13.7001

Sliding door lock

55 mm backset ~ 2 3/16 inch
Stainless steel front plate
Steel parts, interior grade





13.7001 passage lock 55 mm backset; satin stainless finish, steel parts, interior grade

13.7002

Sliding door lock, edge pull

55 mm backset ~ 2 3/16 inch
Stainless steel front plate
With edge pull
Steel parts, interior grade



13.7002 passage lock 55 mm backset with edge pull
satin stainless finish, steel parts, interior grade





Picture showing double door set

13.SB007

Flush Pulls with push/flap lever, set

230 x 70 mm 9 1/16 x 2 3/4 inch
For 1 1/2 inch door thickness



Parts separate: Page 5-1-E

Flush trim set 13.SB007; Dummy set pulls for sliding doors. **Min. door thickness: 1 1/2 inch**
70 X 230 mm or 2 3/4 X 9 1/16 inch




Set: Flush pulls 13.425 I I Spring loaded cup Minimum door thickness: 1 1/2" (38 mm)



Izerwaren
Order
numbers

Flush levers and Pulls
Sliding Door Locks



Set: Flush pulls 13.42511 Spring loaded cup Minimum door thickness: 1 1/2" (38 mm)
Size: 155 x 45 mm 6 1/16 x 2 3/4 inch

13.42511 **Flush Pulls, spring loaded cup**
155 x 45 mm 6 1/16 x 2 3/4 inch
For 1 1/2 inch door thickness

13.42510 **Flush Pulls, with hole**
155 x 45 mm 6 1/16 x 2 3/4 inch
For 1 1/2 inch door thickness

13.42512 **Flush Pulls, with small hole**
155 x 45 mm 6 1/16 x 2 3/4 inch
For 1 1/2 inch door thickness



#13.42510
with cup



#13.42511
spring loaded





#13.42512
with slot

155 x 45 mm; 6 1/16 x 2 3/4 inch; Minimum door thickness: 1 1/2" (38 mm)
Stainless steel


13.42530 **Flush Pulls, Square** with hole
70 x 70 mm 2 3/4 x 2 3/4 inch
Stainless steel

13.42531 **Flush Pulls, Square** spring loaded
70 x 70 mm 2 3/4 x 2 3/4 inch
Stainless steel

13.42532 **Flush Pulls, Square** with slot
70 x 70 mm 2 3/4 x 2 3/4 inch
Stainless steel



Flush pulls #13.42530
with cup



#13.42531
spring loaded



#13.42532
with slot

70 x 70 mm; 2 3/4 x 2 3/4 inch; Minimum door thickness: 1 1/2" (38 mm)
Satin Stainless Steel




Flush Door Pull #13.42510
with cup

#13.42511
spring loaded

#13.42512
with slot

155 x 45 mm; Minimum door thickness: 1 1/2" (38 mm)
Satin or Mirror Polished Stainless steel






GLASS DOOR LOCK no. 82.5221 WITH LEVER no. 12.1074 commercial grade steel parts

Hadi Teherani delivers the function of a cranked lever handle, while averting the danger of a users thumb hitting the frame, by shifting the handle's point of rotation leftwards.


The designer's model 1074 sports a similarly radical return to the door: he simply takes a third of the grip section and attaches it to same at right angles.




MFWFS OP/; 23/2185 SPTF OP/; 23/2814

X X X/J[FS XBSFO/DPN

TBMFTA J[FS XBSFO/DPN



Original Jado lock 459/457/200 Replacement Nemef Lock #4401 order number #18.459 finish: Satin Stainless. 2 1/8 inch backset.



Original Jado 459/451/045 lock with 1 inch backset. Nemef Replacement Order number: #18.416 satin stainless steel: 1 inch backset

For our full Decorative Door Hardware Program, including Jado Levers, please check our website Decorative designs for Levers, Escutcheons and Roses.