












BAUHAUS

**JADO DECORATIVE  
DOOR HARDWARE BY  
IZERWAREN.COM**


# Lock Functions Using Roses Or Escutcheon plates

 <p>Privacy function with Round Roses</p>	 <p>Skeleton Key way Entry Fuction</p>	 <p>Entry Function with Round Roses (keyway not shown)</p>
 <p>Privacy function with Square Roses</p>	 <p>Bauhaus Holz</p> <p>Ebony Bauhaus Jado Design – Passage Function</p>	 <p>Entry function with Square Roses</p>
 <p>Privacy function with Escutcheon</p>	<p>Escutcheon #402 236 x 48 x 7 mm</p>  <p>Profile cylinder keyway Knob/Key #05.405.266</p>	 <p>Entry function with Escutcheon</p>

IZERWAREN.COM / Decorative Levers



LEVER #14.J402      **"BAUHAUS"**  
 ROSE #14.J371      52 X 52 MM  
 Polished Chrome Plated Brass Plated.



Bauhaus Lever with Mini Roses and Escutcheons. Email us your preferences.

Choose Our Marine  
 Locks on line:



40 and 50 mm backset  
 Door thickness: 1 inch



55 mm backset  
 Door thickness: 1 ½ inch




65 mm backset  
 Door thickness: 1 ½ inch


Please check our website at [Izerwaren.com](http://Izerwaren.com) for details on lock dimensions.  
 Let us tell you about the lock functions and finishes that are available to you.  
 Email us at [Sales@izerwaren.com](mailto:Sales@izerwaren.com) or phone our office at 954-763-6686




LEVER #14.964.266 set with escutcheon **"BAUHAUS"**  
 Escutcheon #14.J964 236 x 48 x 7 mm  
 Polished Chrome Plated Brass Plated.



passage




entry



privacy



55 mm backset  
 Doorthickness: 1 ½ inch








Email our office with your preferred function and finish.  
[Sales@izerwaren.com](mailto:Sales@izerwaren.com)



LEVER #14.J4029

"BAUHAUS EBONY"



WITH FAKE SCREWS

STANDARD

SQUARE ROSES WITH FAKE SCREW VERSUS ROSES WITH NO SCREW SHOWING.  
ALL ROSES ARE CLIP ON ROSES TO AN UNDERROSE WHICH IS SCREWED TO THE DOOR.

Choose Our Marine  
Locks on line:



40 and 50 mm backset  
Door thickness: 1 inch



55 mm backset  
Doorthickness: 1 ½ inch




65 mm backset  
Doorthickness: 1 ½ inch

Please check our website at [Izerwaren.com](http://Izerwaren.com) for details on lock dimensions.  
Let us tell you about the lock functions and finishes that are available to you.  
Email us at [Sales@izerwaren.com](mailto:Sales@izerwaren.com) or phone our office at 954-763-6686





LEVER #14.J3402 "BAUHAUS" ENTRY SET DEPICTED  
Satin nickel plated brass



ENTRY SET WITH ROUND ROSES DIAMETER: 52 MM

Choose Our Marine  
Locks on line:



40 and 50 mm backset  
Door thickness: 1 inch



55 mm backset  
Doorthickness: 1 ½ inch






65 mm backset  
Doorthickness: 1 ½ inch

Please check our website at [Izerwaren.com](http://Izerwaren.com) for details on lock dimensions.  
Let us tell you about the lock functions and finishes that are available to you.  
Email us at [Sales@izerwaren.com](mailto:Sales@izerwaren.com) or phone our office at 954-763-6686



LEVER #13.00013  
ROSE

"IQ-CARRE"  
#13.J371



Choose Our Marine  
Locks on line:



40 and 50 mm  
backset  
Door thickness: 1 inch



55 mm backset  
Doorthickness: 1 ½ inch



65 mm backset  
Doorthickness: 1 ½ inch



Please check our website at [Izerwaren.com](http://Izerwaren.com) for details on lock dimensions.

Let us tell you about the lock functions and finishes that are available to you.



Email us at [Sales@izerwaren.com](mailto:Sales@izerwaren.com) or phone our office at 954-763-6686





LEVER #13.J3685 "PURE QUATTRO"  
ROSE #13.J371  
Polished chrome plated brass



Rose #14.J361



and square rose #14.J371



Choose Our Marine  
Locks on line:



40 and 50 mm backset  
Door thickness: 1 inch



55 mm backset  
Doorthickness: 1 ½ inch




65 mm backset  
Doorthickness: 1 ½ inch

Please check our website at [Izerwaren.com](http://Izerwaren.com) for details on lock dimensions.  
Let us tell you about the lock functions and finishes that are available to you.  
Email us at [Sales@izerwaren.com](mailto:Sales@izerwaren.com) or phone our office at 954-763-6686





ROSE LEVER #13.J9613 "AVANCE"  
#13.J361 (Minor different from picture shown)  
Polished Lacquered Brass



Rose #13.J361 and Key Rose # 14.J361Z

Choose Our Marine  
Locks on line:



40 and 50 mm backset  
Door thickness: 1 inch



55 mm backset  
Doorthickness: 1 ½ inch





65 mm backset  
Doorthickness: 1 ½ inch

Please check our website at [Izerwaren.com](http://Izerwaren.com) for details on lock dimensions.  
Let us tell you about the lock functions and finishes that are available to you.  
Email us at [Sales@izerwaren.com](mailto:Sales@izerwaren.com) or phone our office at 954-763-6686




LEVER #13.J905      "ESCALIER"  
ROSE #13.J93  
ESCUTCHEON #13.J59 228 X 50 MM



55 mm backset  
Doorthickness: 1 ½ inch



65 mm backset  
Doorthickness: 1 ½ inch





Escutcheon #13.J906  
230 x 50 x 9 mm

Please check our website at [Izerwaren.com](http://Izerwaren.com) for details on lock dimensions.  
Let us tell you about the lock functions and finishes that are available to you.  
Email us at [Sales@izerwaren.com](mailto:Sales@izerwaren.com) or phone our office at 954-763-6686



LEVER #13.J496  
ROSE

"SANSSOUCI"  
#13.RJ22



PLUS  
FINISH



showing different executions

Choose Our Marine  
Locks on line:



40 and 50 mm backset  
Door thickness: 1 inch



55 mm backset  
Doorthickness: 1 ½ inch






65 mm backset  
Doorthickness: 1 ½ inch

Please check our website at [Izerwaren.com](http://Izerwaren.com) for details on lock dimensions.  
Let us tell you about the lock functions and finishes that are available to you.  
Email us at [Sales@izerwaren.com](mailto:Sales@izerwaren.com) or phone our office at 954-763-6686



Escutcheon #13.J89 230 x 50 mm  
Lever #13.J49.



Choose Our Marine  
Locks on line:



40 and 50 mm backset  
Door thickness: 1 inch



55 mm backset  
Doorthickness: 1 ½ inch






65 mm backset  
Doorthickness: 1 ½ inch

Please check our website at **Izerwaren.com** for details on lock dimensions.  
Let us tell you about the lock functions and finishes that are available to you.  
Email us at [Sales@izerwaren.com](mailto:Sales@izerwaren.com) or phone our office at 954-763-6686



LEVER #13.J335 "BELLE EPOQUE"  
 ROSE #14.984  
 ESCUTCHEON #14.J983



Set: with escutcheon plate #13.J336

Choose Our Marine  
 Locks on line:



40 and 50 mm backset  
 Door thickness: 1 inch



55 mm backset  
 Doorthickness: 1 ½ inch



65 mm backset  
 Doorthickness: 1 ½ inch

Please check our website at [Izerwaren.com](http://Izerwaren.com) for details on lock dimensions.

Let us tell you about the lock functions and finishes that are available to you.


Email us at [Sales@izerwaren.com](mailto:Sales@izerwaren.com) or phone our office at 954-763-6686





LEVER #14.J4445

"NEW ORBIS" Rose #14.J3612 Flat



Roses Flat #14.J361 series



Roses Convex #14.J391 series



Choose finish in two tone. Ask our office about two tone options  
Samples of two tone execution.



Lever #14.J444 with square roses #14.J371 series

Choose Our Marine  
Locks on line:



40 and 50 mm backset  
Door thickness: 1 inch



55 mm backset  
Doorthickness: 1 ½ inch



65 mm backset  
Doorthickness: 1 ½ inch


Please check our website at [Izerwaren.com](http://Izerwaren.com) for details on lock dimensions.

Let us tell you about the lock functions and finishes that are available to you.

Email us at [Sales@Izerwaren.com](mailto:Sales@Izerwaren.com) or phone our office at 954-763-6686



LEVER: 15.0076.106 "EXTRA BASSA" - NARROW STYLE  
STANDS OFF ONLY 26 MM OR 1 INCH FROM SURFACE



Choose Our Marine  
Locks on line:



40 and 50 mm backset  
Door thickness: 1 inch



55 mm backset  
Doorthickness: 1 ½ inch



65 mm backset  
Doorthickness: 1 ½ inch


Please check our website at [Izerwaren.com](http://Izerwaren.com) for details on lock dimensions.

Let us tell you about the lock functions and finishes that are available to you.

Email us at [Sales@izerwaren.com](mailto:Sales@izerwaren.com) or phone our office at 954-763-6686



LEVER #13.J9015 "SCHONBRUNN" ESCUTCHEON #13.J51



Choose Our Marine  
Locks on line:



40 and 50 mm backset  
Door thickness: 1 inch



55 mm backset  
Doorthickness: 1 ½ inch







65 mm backset  
Doorthickness: 1 ½ inch

Please check our website at [Izerwaren.com](http://Izerwaren.com) for details on lock dimensions.  
Let us tell you about the lock functions and finishes that are available to you.  
Email us at [Sales@Izerwaren.com](mailto:Sales@Izerwaren.com) or phone our office at 954-763-6686



LEVER #14.J463 "METEOR" ROSE #14.J361



Choose Our Marine  
Locks on line:



40 and 50 mm  
backset  
Door thickness: 1  
inch



55 mm backset  
Doorthickness: 1 ½ inch






65 mm backset  
Doorthickness: 1 ½ inch

Please check our website at [Izerwaren.com](http://Izerwaren.com) for details on lock dimensions.  
Let us tell you about the lock functions and finishes that are available to you.  
Email us at [Sales@izerwaren.com](mailto:Sales@izerwaren.com) or phone our office at 954-763-6686




LEVER #12.555.308 "Semi Flush"



#12.110F Round Rose flat



Stainless steel rose round, 55 mm diameter.



Stainless steel rose square, 55 x 55 mm



Choose Our Marine  
Locks on line:



40 and 50 mm  
backset  
Door thickness: 1 inch



55 mm backset  
Doorthickness: 1 1/2 inch




65 mm backset  
Doorthickness: 1 1/2 inch

Please check our website at [Izerwaren.com](http://Izerwaren.com) for details on lock dimensions.  
Let us tell you about the lock functions and finishes that are available to you.  
Email us at [Sales@Izerwaren.com](mailto:Sales@Izerwaren.com) or phone our office at 954-763-6686





Lever Belvedere #13.J988 with Escutcheon 13.J988



Choose Our Marine  
Locks on line:



40 and 50 mm backset  
Door thickness: 1 inch



55 mm backset  
Doorthickness: 1 ½ inch




65 mm backset  
Doorthickness: 1 ½ inch

Please check our website at [Izerwaren.com](http://Izerwaren.com) for details on lock dimensions.  
Let us tell you about the lock functions and finishes that are available to you.  
Email us at [Sales@izerwaren.com](mailto:Sales@izerwaren.com) or phone our office at 954-763-6686



Lever #14.J3812 "FLUX" with Rose #14.R388



All finishes and functions available.

Choose Our Marine  
Locks on line:



40 and 50 mm backset  
Door thickness: 1 inch



55 mm backset  
Doorthickness: 1 ½ inch



65 mm backset  
Doorthickness: 1 ½ inch

Please check our website at **Izerwaren.com** for details on lock dimensions.  
Let us tell you about the lock functions and finishes that are available to you.  
Email us at [Sales@izerwaren.com](mailto:Sales@izerwaren.com) or phone our office at 954-763-6686



Thumb-turn set #14.J916 STANDARD with Rose #14.j3612



Thumb-turn set #14.J915 STANDARD with Rose #14.j361



Thumb-turn with rose 361 and Indicator with Rose.  
 Dimension thumb-turn 44 x 33 mm. collar 17.5 mm diameter  
 for use with roses with 18 mm diameter hole.  
 Slotted Indicator #13.J92 with collar 17.5 mm  
 diameter 21.5 mm and rose #361.  
 Use with locks with privacy function (W)  
 All finishes and functions available.

Choose Our Marine  
 Locks on line:



40 and 50 mm backset  
 Door thickness: 1 inch



55 mm backset  
 Door thickness: 1 ½ inch



65 mm backset  
 Door thickness: 1 ½ inch

Please check our website at [Izerwaren.com](http://Izerwaren.com) for details on lock dimensions.  
 Let us tell you about the lock functions and finishes that are available to you.  
 Email us at [Sales@izerwaren.com](mailto:Sales@izerwaren.com) or phone our office at 954-763-6686



-Rose #14.J361



Rose #14.j3612



Rose 14.J3612Z



Rose 14.J3612Z



Rose #14.J391



Rose #14.j3912



Rose #14.J391Z



Rose #14.J391Z

All finishes and functions available.

Choose Our Marine  
Locks on line:



40 and 50 mm backset  
Door thickness: 1 inch



55 mm backset  
Doorthickness: 1 ½ inch



65 mm backset  
Doorthickness: 1 ½ inch

Please check our website at [Izerwaren.com](http://Izerwaren.com) for details on lock dimensions.  
Let us tell you about the lock functions and finishes that are available to you.  
Email us at [Sales@izerwaren.com](mailto:Sales@izerwaren.com) or phone our office at 954-763-6686





-Rose #14.984



Rose #14.9842




Rose #14.984Z



Rose #14.984Z2



Rose #14.J22



Rose #14.J222



Rose #14.J9Z



Rose #14.J9Z2

All finishes and functions available.

Choose Our Marine  
Locks on line:



40 and 50 mm backset  
Door thickness: 1 inch



55 mm backset  
Doorthickness: 1 ½ inch




65 mm backset  
Doorthickness: 1 ½ inch

Please check our website at [Izerwaren.com](http://Izerwaren.com) for details on lock dimensions.  
Let us tell you about the lock functions and finishes that are available to you.  
Email us at [Sales@izerwaren.com](mailto:Sales@izerwaren.com) or phone our office at 954-763-6686





-Rose #14.371



Rose #14.3713



Rose #14.J371Z



Rose #14.J371Z2



Rose #14.J93



Rose #14.j932



Rose #14.J9Z



Rose #14.J9Z2

All finishes and functions available.

Choose Our Marine  
Locks on line:



40 and 50 mm backset  
Door thickness: 1 inch



55 mm backset  
Doorthickness: 1 ½ inch



65 mm backset  
Doorthickness: 1 ½ inch

Please check our website at [Izerwaren.com](http://Izerwaren.com) for details on lock dimensions.  
Let us tell you about the lock functions and finishes that are available to you.  
Email us at [Sales@izerwaren.com](mailto:Sales@izerwaren.com) or phone our office at 954-763-6686



-Rose #15.F80



Rose #15.F802



Rose #15.F75



Rose #15.F752



Rose #15.F80S



Rose #15.F802S



Rose #14.F805Z



Rose #14.F805Z

All finishes and functions available.

Choose Our Marine  
Locks on line:



40 and 50 mm backset  
Door thickness: 1 inch



55 mm backset  
Doorthickness: 1 ½ inch



65 mm backset  
Doorthickness: 1 ½ inch

Please check our website at [Izerwaren.com](http://Izerwaren.com) for details on lock dimensions.  
Let us tell you about the lock functions and finishes that are available to you.  
Email us at [Sales@izerwaren.com](mailto:Sales@izerwaren.com) or phone our office at 954-763-6686